

## Author Index to Volume 189

- Abedin, K.M., see S. Uemura 189 (1992) 193  
 Adhikari, S.K., Anomalies of complex variational phase shifts 189 (1992) 340  
 Agrup, S. and M. Aldén, Measurement of the collision-quenched lifetime of CO molecules in a flame at atmospheric pressure 189 (1992) 211  
 Aguilar, A., see A. Laganà 189 (1992) 138  
 Al-Adel, F., A. Hamdan, O. Binbrek and J.S. Baskin, Vibrational structure in the low energy region of the  $A_2$  state of  $SO_2$  189 (1992) 23  
 Alam, T.M., see T.P. Trouard 189 (1992) 67  
 Aldén, M., see S. Agrup 189 (1992) 211  
 Almlöf, J., see P.R. Taylor 189 (1992) 197  
 Anderson, J.B., see S.D. Piersall 189 (1992) 95  
 Anderson, S.M., J. Morton, K. Mauersberger, Y.L. Yung and W.B. DeMore, A study of atom exchange between  $O_2(^1D)$  and ozone 189 (1992) 581  
 Ando, Y., see Y. Saito 189 (1992) 236  
 Andreoni, W., F. Gygi and M. Parrinello, Structural and electronic properties of  $C_{70}$  189 (1992) 241  
 Andrés, J., see O. Tapia 189 (1992) 395  
 Aota, N., see H. Uehara 189 (1992) 217  
 Asano-Someda, M., see S. Sato 189 (1992) 443  
 Attard, P. and G. Stell, Three-particle correlations in a hard-sphere fluid 189 (1992) 128  
 Augspurger, J.D. and C.E. Dykstra, Potential surfaces and intermolecular vibrational frequencies of hydrogen chloride complexes 189 (1992) 303  
 Axon, S.A., K.K. Fox, S.W. Carr and J. Klinowski, EXAFS studies of iron-substituted zeolite ZSM-5 189 (1992) 1  
  
 Babb, J.F. and J. Shertzer, Accurate nonrelativistic expectation values for  $H_2^+$  189 (1992) 287  
 Bader, R.F.W., see P.L.A. Popelier 189 (1992) 542  
 Baer, M., see I. Last 189 (1992) 84  
 Bakker, H.J., see O. Grabandt 189 (1992) 291  
 Barzykin, A.V., Stochastic treatment of fluorescence quenching in monodisperse micellar systems with exchange of probes and quenchers 189 (1992) 321  
 Baskin, J.S., see F. Al-Adel 189 (1992) 23  
 Bauschlicher Jr., C.W., see M. Sodupe 189 (1992) 266  
 Bauschlicher Jr., C.W., The photoelectron spectroscopy of  $NiCl_2$  189 (1992) 549  
 Bell, A.J., see T.G. Wright 189 (1992) 297  
 Berberan-Santos, M.N., J.P. Farinha, J.M.G. Martinho, J. Duhamel and M.A. Winnik, Lifetime recovery for species participating in complex kinetics. Application to the reversible excimer 189 (1992) 328  
 Berlande, J., see A. Lallement 189 (1992) 182  
 Berlin, Y.A., D.O. Drobnitsky, V.I. Goldanskii and V.V. Kuz'min, A possible description of the substates hierarchy in glass-like systems 189 (1992) 316  
 Binbrek, O., see F. Al-Adel 189 (1992) 23

- Biquard, X., see A. Lallement 189 (1992) 182
- Bohman, O., see F. Bökman 189 (1992) 414
- Bökman, F., O. Bohman and H.O.G. Siegbahn, Electric double layers at solution surfaces studied by means of electron spectroscopy: a comparison of potassium octanoate in formamide and ethylene glycol solution 189 (1992) 414
- Boldyrev, A.I., see Yu.M. Shulg'a 189 (1992) 577
- Böttcher, H., see R. Thielsch 189 (1992) 226
- Böwering, N., H.-W. Kläusing, M. Müller, M. Salzmann and U. Heinzmann, Observation of vibrational excitation in photoelectron spectroscopy of  $\text{HI}^+ \ ^2\Pi$  189 (1992) 467
- Bowman, J.M., see U. Schnupf 189 (1992) 487
- Bréchnignac, C., Ph. Cahuzac, F. Carlier, M. de Frutos and J. Leygnier, Optical excitation in small ionized sodium clusters: closed-shell and open-shell systems 189 (1992) 28
- Brown, M.F., see T.P. Trouard 189 (1992) 67
- Cahuzac, Ph., see C. Bréchnignac 189 (1992) 28
- Cardenas, R., see O. Tapia 189 (1992) 395
- Carlier, F., see C. Bréchnignac 189 (1992) 28
- Carr, S.W., see S.A. Axon 189 (1992) 1
- Carter, E.A., see B. Hartke 189 (1992) 358
- Castillo, S., see F. Colmenares-Landín 189 (1992) 378
- Che, D. and L.A. Nafie, Isolation of Raman optical activity invariants 189 (1992) 35
- Cheung, N.-H. and E.S. Yeung, Pulsed laser photodissociation of chromium hexacarbonyl at 308 nm: simultaneous monitoring of optical and acoustic emissions 189 (1992) 164
- Chihara, H., see S. Takeda 189 (1992) 13
- Christophorou, L.G., see L.A. Pinnaduwege 189 (1992) 486
- Colmenares-Landín, F., S. Castillo, J.M. Martínez-Magadán, O. Novaro and E. Poulain, Role of excited states of maximal d-shell occupancy in the  $\text{Ru} + \text{H}_2$  reaction 189 (1992) 378
- Cuvellier, J., see A. Lallement 189 (1992) 182
- De Frutos, M., see C. Bréchnignac 189 (1992) 28
- De Juan, J., see S.A. Reid 189 (1992) 430
- De Lange, C.A., see O. Grabandt 189 (1992) 291
- De Leon, N., Dynamical corrections for non-RRKM behavior 189 (1992) 371
- DeMore, W.B., see S.M. Anderson 189 (1992) 581
- De Pujo, P., see A. Lallement 189 (1992) 182
- Dixon, D.A. and J.L. Gole, Description of the ground state electronic structures of  $\text{Cu}_2\text{O}$ ,  $\text{Cu}_2\text{S}$ ,  $\text{Ag}_2\text{O}$  and  $\text{Ag}_2\text{S}$  189 (1992) 390
- Donati, A., see C. Rossi 189 (1992) 278
- Dou, X., Q. Shang and B.S. Hudson, Analysis of the decay of the fluorescence anisotropy of 2,4,6,8-decatetraene in a viscous hydrocarbon solution: the off-axis orientation of the transition dipole moment 189 (1992) 48
- Dresner, J., see S.H. Modiano 189 (1992) 144
- Drobnitsky, D.O., see Y.A. Berlin 189 (1992) 316
- Du, K.Y., see S. Wategaonkar 189 (1992) 586
- Duhamel, J., see M.N. Berberan-Santos 189 (1992) 328
- Dykstra, C.E., see J.D. Augspurger 189 (1992) 303

- Ebata, T., see K. Takazawa 189 (1992) 592
- Ellermann, T., Fine structure of the  $\text{CCl}_3$  UV absorption spectrum and  $\text{CCl}_3$  kinetics 189 (1992) 175
- Elsaesser, T., see W. Frey 189 (1992) 565
- El-Shall, M.S., see D. Wright 189 (1992) 103
- Engel, V., The calculation of autocorrelation functions for spectroscopy 189 (1992) 76
- Fan, K. and S. Iwata, Theoretical study of the three isomers of the  $\text{SiNO}$  radical 189 (1992) 401
- Farinha, J.P., see M.N. Berberan-Santos 189 (1992) 328
- Fehér, M., see T. Pasinszki 189 (1992) 245
- Fink, M., see J. Häger 189 (1992) 420
- Fishbein, K.W., see S. Un 189 (1992) 54
- Flament, J.P., see P.C. Hiberty 189 (1992) 259
- Fox, K.K., see S.A. Axon 189 (1992) 1
- François, J.P., see J.M.L. Martin 189 (1992) 529
- Frey, J.G., see T.G. Wright 189 (1992) 297
- Frey, W. and T. Elsaesser, Femtosecond intramolecular proton transfer of vibrationally hot molecules in the electronic ground state 189 (1992) 565
- Frisch, M., I.N. Ragazos, M.A. Robb and H.B. Schlegel, An evaluation of three direct MC-SCF procedures 189 (1992) 524
- Fujii, M., see K. Takazawa 189 (1992) 592
- Fujimura, Y., see M. Sugawara 189 (1992) 346
- Gadomski, W., J. Xu, D.W. Setser and T.O. Nelson, Quenching constants of  $\text{KrF(B, C)}$  by Kr and Xe and the  $\text{KrF(B, C)}$  equilibrium constant 189 (1992) 153
- Gijbels, R., see J.M.L. Martin 189 (1992) 529
- Gimenez, X., see A. Laganà 189 (1992) 138
- Goldanskii, V.I., see Y.A. Berlin 189 (1992) 316
- Gole, J.L., see D.A. Dixon 189 (1992) 390
- Grabandt, O., H.J. Bakker and C.A. de Lange, The temperature dependence of the  $\text{LiH}$  photoelectron spectrum 189 (1992) 291
- Griffin, R.G., see S. Un 189 (1992) 54
- Gumbel, J. and W. Kiefer, Degenerate four-wave mixing spectroscopy in iodine vapor 189 (1992) 231
- Gygi, F., see W. Andreoni 189 (1992) 241
- Häger, J., C. Roth, M. Fink and H. Walther, Scattering of rotationally excited NO molecules from a graphite surface 189 (1992) 420
- Hagler, T.W. and A.J. Heeger, The role of soliton-antisoliton configurations with  $A_g$  symmetry in the nonlinear optical response of polyacetylene 189 (1992) 333
- Hale, B.N. and B. Kelly, Comment on vapor phase homogeneous nucleation of  $\text{CH}_3\text{CN}$  and the scaling law for onset supersaturation ratios 189 (1992) 100
- Halonen, L., see D. Newnham 189 (1992) 205
- Hamdan, A., see F. Al-Adel 189 (1992) 23
- Han, C.-C. and M.A. Johnson, Nascent vibrational distribution of the  $\text{O}_2^-$  product ion in the photodissociation of  $(\text{O}_2)_n^-$ ,  $n=2-4$  189 (1992) 460
- Hanazaki, I., see M. Yoshimoto 189 (1992) 18
- Harigaya, K., Lattice distortion and energy-level structures in doped  $\text{C}_{70}$  by the extended Su-Schrieffer-Heeger model 189 (1992) 79

- Hartke, B. and E.A. Carter, Spin eigenstate-dependent Hartree-Fock molecular dynamics 189 (1992) 358  
Hayashi, M., see M. Sugawara 189 (1992) 346  
Haymet, A.D.J., see J. Quintana 189 (1992) 273  
Heaven, M.C., see U. Schnupf 189 (1992) 487  
Heeger, A.J., see T.W. Hagler 189 (1992) 333  
Heinzmann, U., see N. Böwering 189 (1992) 467  
Hiberty, P.C., J.P. Flament and E. Noizet, Compact and accurate valence bond functions with different orbitals for different configurations: application to the two-configuration description of  $F_2$  189 (1992) 259  
Hiraoka, K., T. Mori and S. Yamabe, Gas-phase solvation of  $N_2^+$  with Ar atoms: a charge switch in the reaction  $N_2^+ + Ar \rightarrow Ar^+ \dots N_2$  189 (1992) 7  
Hirata, Y., A. Nogata and N. Mataga, Picosecond transient absorption spectral studies on geminate electron-cation recombination in non-polar solvents: direct observation of the  $S_1$  state formation 189 (1992) 159  
Hirota, N., see M. Terazima 189 (1992) 560  
Horiai, K., see H. Uehara 189 (1992) 217  
Hoshino, K., see A. Nakajima 189 (1992) 455  
Hotop, H., see D. Klar 189 (1992) 448  
Hruska, F.E., see T. Schaefer 189 (1992) 252  
Hudson, B.S., see X. Dou 189 (1992) 48  
Hurley, M.D., see T.J. Wallington 189 (1992) 437  
  
Ichihashi, M., Y. Ozaki and T. Kondow, Collision-induced core-ion ejection from cluster ion  $Ar_{n-1}Xe^+$ : molecular dynamics simulation 189 (1992) 353  
Inabe, T., see S. Takeda 189 (1992) 13  
Ito, M., see K. Takazawa 189 (1992) 592  
Iwata, S., see K. Fan 189 (1992) 401  
  
Jefferson, C.M. and A.J. Meixner, Frequency-domain measurements of spectral hole patterns burned with phase-coherent pulses 189 (1992) 60  
Johnson, K.H., see Y. Takai 189 (1992) 518  
Johnson, M.A., see C.-C. Han 189 (1992) 460  
Jyothi Bhasu, V.C., see S. Yashonath 189 (1992) 311  
  
Kamiya, K., see M. Yoshimura 189 (1992) 199  
Karpfen, A., see M. Kofranek 189 (1992) 281  
Kato, M., see Y. Saito 189 (1992) 236  
Kauppi, E., see D. Newnham 189 (1992) 205  
Kaya, K., see A. Nakajima 189 (1992) 455  
Kelly, B., see B.N. Hale 189 (1992) 100  
Kerim, A., see H. Uehara 189 (1992) 217  
Kiefer, W., see J. Gumbel 189 (1992) 231  
Kirstein, S. and H. Möhwald, Structure and optical properties of a monolayer single crystal of a cyanine dye 189 (1992) 408  
Kitagawa, T., see S. Sato 189 (1992) 443  
Klar, D., M.-W. Ruf and H. Hotop, Attachment of electrons to molecules at submillielectronvolt resolution 189 (1992) 448

Klausing, H.-W., see N. Böwering	189 (1992) 467
Klinowski, J., see S.A. Axon	189 (1992) 1
Kofranek, M., A. Karpfen and H. Lischka, <i>Gauche- versus s-cis-butadiene revisited: a molecular dynamics simulation of the Ar matrix effect</i>	189 (1992) 281
Kolba, E., J. Manz, H.-J. Schreier and I. Trisca, <i>A reflection principle in continuum resonance Raman scattering</i>	189 (1992) 505
Kondow, T., see M. Ichihashi	189 (1992) 353
Koshi, M., see M. Yoshimura	189 (1992) 199
Krasnovsky Jr., A.A., see K.V. Neverov	189 (1992) 189
Krömer, R. and W. Thiel, <i>Ab initio calculation of harmonic force fields and vibrational spectra for trichloromethyltitanium and related compounds</i>	189 (1992) 105
Kuklinski, J.R. and S. Mukamel, <i>Radiative decay in semiconductor quantum dots at finite temperatures</i>	189 (1992) 119
Kurtz, H.A., see T. Pluta	189 (1992) 255
Kuz'min, V.V., see Y.A. Berlin	189 (1992) 316
Laganà, A., A. Aguilar, X. Gimenez and J.M. Lucas, <i>Heavy-heavy-light limit and exchanged-atom isotopic effects in atom-diatom reactivity</i>	189 (1992) 138
Lahmani, F. and J. Sepiol, <i>Spectral hole-burning isolation of fluorescent species in jet-cooled 9-methoxyanthracene complexes with water and alcohols</i>	189 (1992) 479
LaJohn, L. and J.D. Talman, <i>Minimax variational solution of the Dirac equation in molecular geometries</i>	189 (1992) 383
Lallement, A., J. Cuvellier, J.M. Mestdagh, P. Meynadier, P. de Pujo, O. Sublemontier, J.P. Visticot, J. Berlande and X. Biquard, <i>Reaction between (N<sub>2</sub>O, Ar) binary clusters and barium atoms</i>	189 (1992) 182
Last, I. and M. Baer, <i>Variational (time-independent) calculations of reactive S matrix elements: application of negative imaginary absorbing potentials and contracted L<sup>2</sup> basis sets</i>	189 (1992) 84
Lee, T.J., see P.R. Taylor	189 (1992) 197
Lee, T.J., see M. Sodupe	189 (1992) 266
Leforestier, C., see F. Le Quéré	189 (1992) 537
Legon, A.C. and D.G. Lister, <i>The rotational spectrum of the argon-thiirane van der Waals molecule</i>	189 (1992) 149
Legon, A.C., D.G. Lister and C.A. Rego, <i>Rotational spectrum of CH<sub>3</sub>NC...HCCH and a comparison of the properties of hydrogen bonds NC...HC and CN...HC</i>	189 (1992) 221
Leone, S.R., see C.A. Taatjes	189 (1992) 486
Le Quéré, F. and C. Leforestier, <i>Theoretical calculation of the Huggins band of ozone</i>	189 (1992) 537
Leygnier, J., see C. Bréchnignac	189 (1992) 28
Lim, E.C., see S.H. Modiano	189 (1992) 144
Lischka, H., see M. Kofranek	189 (1992) 281
Lister, D.G., see A.C. Legon	189 (1992) 149; 221
Lovejoy, C.M., see C.A. Taatjes	189 (1992) 486
Lucas, J.M., see A. Laganà	189 (1992) 138
Manz, J., see E. Kolba	189 (1992) 505
Markert, F. and O.J. Nielsen, <i>Rate constants for the reaction of OH radicals with 1-chloroalkanes at 295 K</i>	189 (1992) 171

- Maroulis, G., The electric hyperpolarizability of ozone and sulfur dioxide 189 (1992) 112
- Martin, J.M.L., J.P. François and R. Gijbels, Potential energy surface of  $B_4$  and total atomization energies of  $B_2$ ,  $B_3$ , and  $B_4$  189 (1992) 529
- Martínez-Magadán, J.M., see F. Colmenares-Landín 189 (1992) 378
- Martinho, J.M.G., see M.N. Berberan-Santos 189 (1992) 328
- Maruyama, Y., see S. Takeda 189 (1992) 13
- Mataga, N., see Y. Hirata 189 (1992) 159
- Matsui, H., see M. Yoshimura 189 (1992) 199
- Mauersberger, K., see S.M. Anderson 189 (1992) 581
- McDermott, A.E., see S. Un 189 (1992) 54
- Meixner, A.J., see C.M. Jefferson 189 (1992) 60
- Mestdagh, J.M., see A. Lallement 189 (1992) 182
- Meynadier, P., see A. Lallement 189 (1992) 182
- Mikušik, P., see Š. Pick 189 (1992) 513
- Mitani, T., see S. Takeda 189 (1992) 13
- Modiano, S.H., J. Dresner and E.C. Lim, Conformational similarity between triplet excimer and ground-state van der Waals dimer of aromatic hydrocarbons 189 (1992) 144
- Möhwald, H., see S. Kirstein 189 (1992) 408
- Mori, T., see K. Hiraoka 189 (1992) 7
- Mori, Y., see M. Yoshimoto 189 (1992) 18
- Moro, G.J. and A. Polimeno, Multi-barrier crossing regulated by the friction 189 (1992) 133
- Morton, J., see S.M. Anderson 189 (1992) 581
- Mukamel, S., see J.R. Kuklinski 189 (1992) 119
- Müller, M., see N. Böwering 189 (1992) 467
- Nafie, L.A., see D. Che 189 (1992) 35
- Nagashima, H., see Y. Saito 189 (1992) 236
- Nakajima, A., T. Sugioka, K. Hoshino and K. Kaya, Mass distributions of negative cluster ions of sodium oxide 189 (1992) 455
- Nakatsuka, H., see S. Uemura 189 (1992) 193
- Negri, F., G. Orlandi and F. Zerbetto, Prediction of the structure and the vibrational frequencies of a  $C_{84}$  isomer of  $D_2$  symmetry 189 (1992) 495
- Nelson, H.H., see J.K. Rice 189 (1992) 43
- Nelson, T.O., see W. Gadomski 189 (1992) 153
- Neverov, K.V. and A.A. Krasnovsky Jr., Assignment for the novel vibronic bands in the spectrum of the photosensitized singlet oxygen luminescence 189 (1992) 189
- Newnham, D., X. Zhan, O. Vaitinen, E. Kauppi and L. Halonen, High-resolution photoacoustic study of the  $4\nu_1$  band system of monofluoroacetylene using a titanium:sapphire ring laser 189 (1992) 205
- Nielsen, O.J., see F. Markert 189 (1992) 171
- Nobes, R.H. and L. Radom, The thermochemistry of the mercaptomethyl ( $CH_2SH^+$ ) and thiomethoxy ( $CH_3S^+$ ) cations: a comparison of G2 theory and experiment 189 (1992) 554
- Nogata, A., see Y. Hirata 189 (1992) 159
- Noizet, E., see P.C. Hiberty 189 (1992) 259
- Novaro, O., see F. Colmenares-Landín 189 (1992) 378
- Ohkohchi, M., see Y. Saito 189 (1992) 236

- Okada, M., see S. Uemura 189 (1992) 193
- Onori, G. and A. Santucci, Effect of temperature and solvent on the critical micelle concentration of sodium dodecylsulfate 189 (1992) 598
- Opansky, B.J., see C.A. Taatjes 189 (1992) 486
- Orlandi, G., see F. Negri 189 (1992) 495
- Ovchinnikov, A.A., see Yu.M. Shulg'a 189 (1992) 577
- Ozaki, Y., see M. Ichihashi 189 (1992) 353
- Parrinello, M., see W. Andreoni 189 (1992) 241
- Pasinszki, T., T. Veszprémi and M. Fehér, The equilibrium structure of methyl pseudohalides: an ab initio study 189 (1992) 245
- Pasternack, L., see J.K. Rice 189 (1992) 43
- Pick, Š. and P. Mikušik, The bulk and surface core-level shifts in transition-metal alloys with split d bands 189 (1992) 513
- Piersall, S.D. and J.B. Anderson, Direct Monte Carlo simulation of chemical reaction systems: a Lindemann-Christiansen unimolecular reaction 189 (1992) 95
- Pinnaduwa, L.A. and L.G. Christophorou, Enhanced electron attachment to superexcited states of nitric oxide, *Chem. Phys. Letters* 186 (1991) 4. Erratum 189 (1992) 486
- Pluta, T. and H.A. Kurtz, An MCSCF study of the electric properties of the Be atom 189 (1992) 255
- Polimeno, A., see G.J. Moro 189 (1992) 133
- Popelier, P.L.A. and R.F.W. Bader, The existence of an intramolecular C-H-O hydrogen bond in creatine and carbamoyl sarcosine 189 (1992) 542
- Poulain, E., see F. Colmenares-Landín 189 (1992) 378
- Powis, I., Photoelectron anisotropy: what may be learned from photoelectron-photofragment ion correlations 189 (1992) 473
- Prisner, T., see S. Un 189 (1992) 54
- Quintana, J. and A.D.J. Haymet, The chemical potential of water: molecular dynamics computer simulation of the CF and SPC models 189 (1992) 273
- Radom, L., see R.H. Nobes 189 (1992) 554
- Ragazos, I.N., see M. Frisch 189 (1992) 524
- Rego, C.A., see A.C. Legon 189 (1992) 221
- Reid, S.A., F. Winterbottom, D.C. Scott, J. de Juan and H. Reisler, A crossed beam study of the reaction  $C(^3P) + N_2O$ : energy partitioning between the  $NO(X^2\Pi)$  and  $CN(X^2\Sigma^+)$  products 189 (1992) 430
- Reisler, H., see S.A. Reid 189 (1992) 430
- Rice, J.E., see P.R. Taylor 189 (1992) 197
- Rice, J.K., L. Pasternack and H.H. Nelson, Einstein transition probabilities for the  $AlH A^1\Pi-X^1\Sigma^+$  transition 189 (1992) 43
- Robb, M.A., see M. Frisch 189 (1992) 524
- Rösch, N. and I. Wilhelmy, Representation of electronic wavefunctions by Lobatto shape functions: application to the photoionization cross section of  $H_2^+$  189 (1992) 499
- Rossi, C., A. Donati and M.R. Sansoni, Nuclear magnetic resonance as a tool for the identification of specific DNA-ligand interaction 189 (1992) 278
- Roth, C., see J. Häger 189 (1992) 420
- Ruf, M.-W., see D. Klar 189 (1992) 448



- Sahyun, M.R.V. and D.K. Sharma, Photophysics of rigidized 7-aminocoumarin laser dyes: efficient intersystem crossing from higher excited state 189 (1992) 571
- Saito, Y., H. Shinohara, M. Kato, H. Nagashima, M. Ohkohchi and Y. Ando, Electric conductivity and band gap of solid  $C_{60}$  under high pressure 189 (1992) 236
- Salzmann, M., see N. Böwering 189 (1992) 467
- Sanson, M.R., see C. Rossi 189 (1992) 278
- Santucci, A., see G. Onori 189 (1992) 598
- Sato, S., M. Asano-Someda and T. Kitagawa, Time-resolved resonance Raman spectra of free-base octaethylporphyrin in the  $S_1$  and  $T_1$  states 189 (1992) 443
- Schaefer, T., R. Sebastian and F.E. Hruska, Molecular orbital estimates of the structures and internal rotational barriers in 2-fluorotoluene and 2-chlorotoluene 189 (1992) 252
- Schlegel, H.B., see M. Frisch 189 (1992) 524
- Schnupf, U., J.M. Bowman and M.C. Heaven, Vibrational calculations and potential determination for  $ArOH^*$  ( $\nu=0, 1$ ) and  $ArOD^*$  ( $\nu=0, 1$ ) 189 (1992) 487
- Schreier, H.-J., see E. Kolba 189 (1992) 505
- Schwenke, D.W., The choice of coordinates for describing vibrations in  $H_2O$  189 (1992) 91
- Scott, D.C., see S.A. Reid 189 (1992) 430
- Seaman, M.J., see S. Un 189 (1992) 54
- Sebastian, R., see T. Schaefer 189 (1992) 252
- Sepiol, J., see F. Lahmani 189 (1992) 479
- Setser, D.W., see W. Gadomski 189 (1992) 153
- Setser, D.W., see S. Wategaonkar 189 (1992) 586
- Shang, Q., see X. Dou 189 (1992) 48
- Sharma, D.K., see M.R.V. Sahyun 189 (1992) 571
- Shertzer, J., see J.F. Babb 189 (1992) 287
- Shinohara, H., see Y. Saito 189 (1992) 236
- Shul'ga, Yu.M., A.I. Boldyrev and A.A. Ovchinnikov, Auger electron spectroscopy and electron energy loss spectroscopy study of ferromagnetic carbon 189 (1992) 577
- Siegbahn, H.O.G., see F. Bökman 189 (1992) 414
- Singel, D.J., see S. Un 189 (1992) 54
- Sodupe, M., C.W. Bauschlicher Jr. and T.J. Lee, The calculation of the vibrational frequencies of  $CuCO^+$ ,  $NiCO$  and  $CuCH_3$  189 (1992) 266
- Steinfeld, J.I., see C. Van Zoeren 189 (1992) 425
- Stell, G., see P. Attard 189 (1992) 128
- Sublemontier, O., see A. Lallement 189 (1992) 182
- Sugawara, M., M. Hayashi and Y. Fujimura, Non-Markovian effects of intermolecular vibrational coherence on femtosecond time-resolved coherent anti-Stokes Raman scattering from molecules in condensed phases 189 (1992) 346
- Sugioka, T., see A. Nakajima 189 (1992) 455
- Taatjes, C.A., C.M. Lovejoy, B.J. Opansky and S.R. Leone, Laser double resonance measurements of the quenching rates of  $Br(^2P_{1/2})$  with  $H_2O$ ,  $D_2O$ ,  $HDO$ , and  $O_2$ , Chem. Phys. Letters 182 (1991) 39. Erratum 189 (1992) 486
- Takai, Y. and K.H. Johnson, SCF- $X\alpha$ -SW calculations for small molecules using the optimization technique of atomic-sphere radii 189 (1992) 518
- Takazawa, K., M. Fujii, T. Ebata and M. Ito, Pulsed-field-ionization spectroscopy for the study of molecular cations 189 (1992) 592



- Takeda, S., H. Chihara, T. Inabe, T. Mitani and Y. Maruyama, NMR study of proton dynamics in the NHO hydrogen bonds in the thermochromic crystals of N-salicylideneanilines 189 (1992) 13
- Talman, J.D., see L. LaJohn 189 (1992) 383
- Tapia, O., J. Andrés and R. Cardenas, Transition structure for the hydride transfer reaction from formate anion to cyclopropenyl cation: a simple theoretical model for the reaction catalyzed by formate dehydrogenase 189 (1992) 395
- Taylor, P.R., T.J. Lee, J.E. Rice and J. Almlöf, The polarizabilities of neon, Chem. Phys. Letters 163 (1989) 359. Erratum 189 (1992) 197
- Terazima, M. and N. Hirota, Investigation of the short-lived triplet state of pyridazine at room temperature by the transient grating method 189 (1992) 560
- Thiel, W., see R. Krömer 189 (1992) 105
- Thielsch, R. and H. Böttcher, Preparation and properties of Ge microcrystals in  $\text{MgF}_2$  layers 189 (1992) 226
- Thompson, D.L., see E.P. Wallis 189 (1992) 363
- Trisca, I., see E. Kolba 189 (1992) 505
- Trouard, T.P., T.M. Alam, J. Zajicek and M.F. Brown, Angular anisotropy of  $^2\text{H}$  NMR spectral densities in phospholipid bilayers containing cholesterol 189 (1992) 67
- Uehara, H., K. Horiai, A. Kerim and N. Aota, Infrared emission spectrum of TIF 189 (1992) 217
- Uemura, S., M. Okada, K.M. Abedin and H. Nakatsuka, Fractal interpretation of non-Lorentzian persistent hole shapes in organic glasses 189 (1992) 193
- Umeyama, H., see M. Yoshimura 189 (1992) 199
- Un, S., T. Prisner, R.T. Weber, M.J. Seaman, K.W. Fishbein, A.E. McDermott, D.J. Singel and R.G. Griffin, Pulsed dynamic nuclear polarization at 5 T 189 (1992) 54
- Vaaitinen, O., see D. Newnham 189 (1992) 205
- Van Zoeren, C. and J.I. Steinfeld, "Two-minus-one" stimulated emission pumping of nitric oxide 189 (1992) 425
- Veszprémi, T., see T. Pasinszki 189 (1992) 245
- Visticot, J.P., see A. Lallement 189 (1992) 182
- Wallington, T.J. and M.D. Hurley, A kinetic study of the reaction of chlorine atoms with  $\text{CF}_3\text{CHCl}_2$ ,  $\text{CF}_3\text{CH}_2\text{F}$ ,  $\text{CFCl}_2\text{CH}_3$ ,  $\text{CF}_2\text{ClCH}_3$ ,  $\text{CHF}_2\text{CH}_3$ ,  $\text{CH}_3\text{D}$ ,  $\text{CH}_2\text{D}_2$ ,  $\text{CHD}_3$ ,  $\text{CD}_4$  and  $\text{CD}_3\text{Cl}$  at  $295 \pm 2$  K 189 (1992) 437
- Wallis, E.P. and D.L. Thompson, Molecular dynamics simulation of conformational changes in gas-phase RDX 189 (1992) 363
- Walther, H., see J. Häger 189 (1992) 420
- Wategaonkar, S., K.Y. Du and D.W. Setser, Product branching in the  $\text{CO} + \text{NF}(a^1\Delta)$  reaction 189 (1992) 586
- Weber, R.T., see S. Un 189 (1992) 54
- Wilhelmy, I., see N. Rösch 189 (1992) 499
- Winnik, M.A., see M.N. Berberan-Santos 189 (1992) 328
- Winterbottom, F., see S.A. Reid 189 (1992) 430
- Wright, D. and M.S. El-Shall, Reply to the comment on the homogeneous nucleation of  $\text{CH}_3\text{CN}$  and the scaling law for onset supersaturation ratios 189 (1992) 103
- Wright, T.G., A.J. Bell and J.G. Frey, Ab initio calculations on the ground and low-lying electronic states of the  $\text{Cl}_3$  radical: emission from  $\text{Cl}_3$  189 (1992) 297

Xu, J., see W. Gadomski	189 (1992) 153
Yamabe, S., see K. Hiraoka	189 (1992) 7
Yashonath, S. and V.C. Jyothi Bhasu, Structure-potential relationship and nature of disorder in liquids and glassy solids	189 (1992) 311
Yeung, E.S., see N.-H. Cheung	189 (1992) 164
Yoshikawa, K., see M. Yoshimoto	189 (1992) 18
Yoshimoto, M., K. Yoshikawa, Y. Mori and I. Hanazaki, Asymmetric coupling stabilizes the out-of-phase mode: experimental evidence in the Belousov-Zhabotinsky reaction	189 (1992) 18
Yoshimura, M., M. Koshi, H. Matsui, K. Kamiya and H. Umeyama, Non-Arrhenius temperature dependence of the rate constant for the $H+H_2S$ reaction	189 (1992) 199
Yung, Y.L., see S.M. Anderson	189 (1992) 581
Zajicek, J., see T.P. Trouard	189 (1992) 67
Zerbetto, F., see F. Negri	189 (1992) 495
Zhan, X., see D. Newnham	189 (1992) 205

